

Structural evolution and supercapacitor performance of carbon blacks at thermal oxidation treatment

Lihui Zhang¹, Chengwei Fan², Su Zhang², Yifan Liu¹, Xiaohong Chen¹, Dianzeng Jia^{2*}, Huaihe Song^{1*}

1. State Key Laboratory of Chemical Resource Engineering, Beijing Key Laboratory of Electrochemical Process and Technology for Materials, Beijing University of Chemical Technology, Beijing, 100029, P. R. China

2 *Key Laboratory of Energy Materials Chemistry, Ministry of Education; Key Laboratory of Advanced Functional Materials, Autonomous Region; Institute of Applied Chemistry, Xinjiang University, Urumqi, 830046, P. R. China.*

Abstract: Carbon black (CB) nanoparticles were oxidized at 450°C for various hours. The changes of morphologies and structures of CB particles were investigated by X-ray diffraction, transmission electron microscopy, scanning electron microscopy, high resolution transmission electron microscopy, Fourier transform Infrared Spectrometer and Raman spectroscopy. Results show that the oxidized samples exhibit a hollow structure with concentric carbon layers cross the hollow core. When used as the electrode for supercapacitors, the oxidized CB samples show specific capacitances of 120-170 F g⁻¹ at a current density of 0.2 A g⁻¹, and retains a high capacitance of 100-120 F g⁻¹ at a current density of 20 A g⁻¹. The high specific capacitance and 70% capacitance retention clearly demonstrate that the oxidized hollow CB nanoparticles comprising of micro-, meso- and macropores potentially favor ion kinetics, leading to a high utilization efficiency of electrode materials for supercapacitors.
